



Quick Product Selector

Product Information

- ▶ [Features](#)
- ▶ [Specifications](#)
- ▶ [Agency Approvals](#)
- ▶ [Documents](#)
- ▶ [Part Numbers](#)

Menu Selections

- ▶ [Multi-Status and Stackable](#)
- ▶ [Hazardous Location Visual Signals](#)
- ▶ [Flashing Beacons](#)
- ▶ [Rotating Beacons](#)
- ▶ [Steady-On Beacons](#)
- ▶ [Strobes](#)

Product Part Numbers

104SINH & 104SLED Series

AdaptaBeacon Steady LED & Halogen Lights
PLC Compatible, Type 4X

Part Number	Description	DIV 1	DIV 2	Outdoor	NEMA 4X	Marine	PLC
104SINHR-N5	Panel Mount Steady-On Halogen Beacon Red 120 VAC 50/60 Hz, 0.25 A			✓	✓		✓
104SINHA-N5	Panel Mount Steady-On Halogen Beacon Amber 120 VAC 50/60 Hz, 0.25 A			✓	✓		✓
104SINHB-N5	Panel Mount Steady-On Halogen Beacon Blue 120 VAC 50/60 Hz, 0.25 A			✓	✓		✓
104SINHC-N5	Panel Mount Steady-On Halogen Beacon Clear 120 VAC 50/60 Hz, 0.25 A			✓	✓		✓
104SINHG-N5	Panel Mount Steady-On Halogen Beacon Green 120 VAC 50/60 Hz, 0.25 A			✓	✓		✓
104SINHA-G5	Panel Mount Steady-On Halogen Beacon Amber 24 VAC 50/60 Hz, 0.77 A			✓	✓		
104SINHB-G5	Panel Mount Steady-On Halogen Beacon Blue 24 VAC 50/60 Hz, 0.77 A			✓	✓		
104SINHC-G5	Panel Mount Steady-On Halogen Beacon Clear 24 VAC 50/60 Hz, 0.77 A			✓	✓		
104SINHR-G5	Panel Mount Steady-On Halogen Beacon Red 24 VAC 50/60 Hz, 0.77 A			✓	✓		
104SINHG-G5	Panel Mount Steady-On Halogen Beacon Green 24 VAC 50/60 Hz, 0.77 A			✓	✓		
104SINHA-G1	Panel Mount Steady-On Halogen Beacon Amber 24 VDC, 0.77 A			✓	✓		✓
104SINHB-G1	Panel Mount Steady-On Halogen Beacon Blue 24 VDC, 0.77 A			✓	✓		✓

104SINHC-G1	Panel Mount Steady-On Halogen Beacon Clear 24 VDC, 0.77 A			✓	✓		✓
104SINHG-G1	Panel Mount Steady-On Halogen Beacon Green 24 VDC, 0.77 A			✓	✓		✓
104SINHR-G1	Panel Mount Steady-On Halogen Beacon Red 24 VDC, 0.77 A			✓	✓		✓
104SLEDA-G1	Panel Mount Steady-On LED Beacon Amber 24 VDC, 0.065 A			✓	✓		✓
104SLEDB-G1	Panel Mount Steady-On LED Beacon Blue 24 VDC, 0.065 A			✓	✓		✓
104SLEDG-G1	Panel Mount Steady-On LED Beacon Green 24 VDC, 0.065 A			✓	✓		✓
104SLEDR-G1	Panel Mount Steady-On LED Beacon Red 24 VDC, 0.065 A			✓	✓		✓
104SLEDG-N5	Panel Mount Steady-On LED Beacon Green 120 VAC 50/60 Hz, 0.025 A			✓	✓		✓
104SLEDB-N5	Panel Mount Steady-On LED Beacon Blue 120 VAC 50/60 Hz, 0.025 A			✓	✓		✓
104SLEDA-N5	Panel Mount Steady-On LED Beacon Amber 120 VAC 50/60 Hz, 0.025 A			✓	✓		✓
104SLEDR-N5	Panel Mount Steady-On LED Beacon Red 120 VAC 50/60 Hz, 0.025 A			✓	✓		✓
104-LR	Replacement Lens Red						
104-LG	Replacement Lens Green						
104-LC	Replacement Lens Clear						
104-LB	Replacement Lens Blue						
104-LA	Replacement Lens Amber						
50LMP-12WH-D	12 watt Halogen Lamp 12 Watt						
50LMP-9WH-D	9 Watt Halogen Lamp 9 Watt						

