



Quick Product Selector

Product Information

- ▶ [Features](#)
- ▶ [Specifications](#)
- ▶ [Agency Approvals](#)
- ▶ [Documents](#)
- ▶ [Part Numbers](#)

Menu Selections

- ▶ [Multi-Status and Stackable](#)
- ▶ [Hazardous Location Visual Signals](#)
- ▶ [Flashing Beacons](#)
- ▶ [Rotating Beacons](#)
- ▶ [Steady-On Beacons](#)
- ▶ [Strobes](#)

Product Part Numbers

48SIN Series

AdaptaBeacon Steady-On Incandescent Light

PLC Compatible

NEMA Type 4X

Part Number	Description	DIV 1	DIV 2	Outdoor	NEMA 4X	Marine	PLC
48SINA-E1	Steady Incandescent Beacon Amber 12VDC, 1.0A			✓	✓		
48SINA-G1-20WH	Steady Halogen Beacon Amber 24VDC, 0.8A			✓	✓		✓
48SINA-G5-20WH	Steady Halogen Beacon Amber 24VAC 50/60Hz, 0.8A			✓	✓		
48SINA-N5-25WH	Steady-On Halogen Beacon Amber 120 VAC 50/60 Hz, 0.2 A			✓	✓		✓
48SINB-E1	Steady Incandescent Beacon Blue 12VDC, 1.0A			✓	✓		
48SINB-G1-20WH	Steady Halogen Beacon Blue 24VDC, 0.8A			✓	✓		✓
48SINB-G5-20WH	Steady Halogen Beacon Blue 24VAC 50/60Hz, 0.8A			✓	✓		
48SINB-N5-25WH	Steady Halogen Beacon Blue 120VAC 50/60Hz, 0.2A			✓	✓		✓
48SINC-E1	Steady Incandescent Beacon Clear 12VDC, 1.0A			✓	✓		
48SINC-G1-20WH	Steady Halogen Beacon Clear 24VDC, 0.8A			✓	✓		✓
48SINC-G5-20WH	Steady Halogen Beacon Clear 24VAC 50/60Hz, 0.8A			✓	✓		
48SINC-N5-25WH	Steady Halogen Beacon Clear 120VAC 50/60Hz, 0.2A			✓	✓		✓

48SING-E1	Steady Incandescent Beacon Green 12VDC, 1.0A			✓	✓		
48SING-G1-20WH	Steady Halogen Beacon Green 24VDC, 0.8A			✓	✓		✓
48SING-G5-20WH	Steady Halogen Beacon Green 24VAC 50/60Hz, 0.8A			✓	✓		
48SING-N5-25WH	Steady-On Halogen Beacon Green 120 VAC 50/60 Hz, 0.2 A			✓	✓		✓
48SINM-E1	Steady Incandescent Beacon Magenta 12VDC, 1.0A			✓	✓		
48SINM-G1-20WH	Steady Halogen Beacon Magenta 24VDC, 0.8A			✓	✓		✓
48SINM-G5-20WH	Steady Halogen Beacon Magenta 24VAC 50/60Hz, 0.8A			✓	✓		
48SINM-N5-25WH	Steady Halogen Beacon Magenta 120VAC 50/60Hz, 0.2A			✓	✓		✓
48SINR-E1	Steady Incandescent Beacon Red 12VDC, 1.0A			✓	✓		
48SINR-G1-20WH	Steady Halogen Beacon Red 24VDC, 0.8A			✓	✓		✓
48SINR-G5-20WH	Steady Halogen Beacon Red 24VAC 50/60Hz, 0.8A			✓	✓		
48SINR-N5-25WH	Steady-On Halogen Beacon Red 120 VAC 50/60 Hz, 0.2 A			✓	✓		✓
50LMP-20WH	20 Watt Halogen Bulb			✓			
50LMP-25WH	25 Watt Halogen Bulb			✓			
96-LA	Replacement Lens Amber						
96-LB	Replacement Lens Blue						
96-LC	Replacement Lens Clear						
96-LG	Replacement Lens Green						
96-LM	Replacement Lens Magenta						

96-LR

Replacement Lens
Red

--	--	--	--	--	--